

UTAH OIL AND GAS CONSERVATION COMMISSION

REMARKS: WELL LOG _____ ELECTRIC LOGS _____ FILE X WATER SANDS _____ LOCATION INSPECTED GAS SUB. REPORT/abd. _____

DATE FILED 11-24-82

LAND: FEE & PATENTED _____ STATE LEASE NO. _____

PUBLIC LEASE NO. U-01197-A

INDIAN _____

DRILLING APPROVED: 12-7-82

SPUDDED IN: _____

COMPLETED: _____ PUT TO PRODUCING: _____

INITIAL PRODUCTION: _____

GRAVITY A.P.I. _____

GOR: _____

PRODUCING ZONES: _____

TOTAL DEPTH: _____

WELL ELEVATION: _____

DATE ABANDONED: LA 6-19-84 App. rescinded

FIELD: NATURAL BUTTES 3/86

UNIT: _____

COUNTY: UINTAH

WELL NO. N.B.U. # 96

API NO. 43-047-31285

LOCATION 1988

FT. FROM (N) (S) LINE.

X 431

FT. FROM (E) (W) LINE.

X SW NW

1/4 - 1/4 SEC.

11

TWP.	RGE.	SEC.	OPERATOR	TWP.	RGE.	SEC.	OPERATOR
				<u>10S</u>	<u>22E</u>	<u>11</u>	<u>COASTAL OIL & GAS</u>

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK DRILL <input checked="" type="checkbox"/> DEEPEN <input type="checkbox"/> PLUG BACK <input type="checkbox"/>			5. LEASE DESIGNATION AND SERIAL NO. U-01197-A	
b. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/> SINGLE ZONE <input checked="" type="checkbox"/> MULTIPLE ZONE <input type="checkbox"/>			6. IF INDIAN, ALLOTTEE OR TRIBE NAME N/A	
2. NAME OF OPERATOR Coastal Oil & Gas Corporation			7. UNIT AGREEMENT NAME Natural Buttes	
3. ADDRESS OF OPERATOR P. O. Box 749, Denver, CO 80201			8. FARM OR LEASE NAME Natural Buttes	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)* At surface 1988' FNL/431' FWL SW NW At proposed prod. zone Same			9. WELL NO. Natural Buttes Unit #96	
14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* Approximately 15 Miles SE of Ouray, Utah			10. FIELD AND POOL, OR WILDCAT Natural Buttes Field	
15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any) 431'			11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Section 11-T10S-R22E	
16. NO. OF ACRES IN LEASE 620.25			12. COUNTY OR PARISH Uintah	
17. NO. OF ACRES ASSIGNED TO THIS WELL 160			13. STATE Utah	
18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 1988'			20. ROTARY OR CABLE TOOLS Rotary	
21. ELEVATIONS (Show whether DF, RT, GR, etc.) 5129' Ungr. Gr.			22. APPROX. DATE WORK WILL START* March, 1983	

23. PROPOSED CASING AND CEMENTING PROGRAM				
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/4"	9-5/8"	36#	200'	125 sx
7-7/8"	5 1/2"	17#	6600'	Circulate cmt to surface to properly isolate the hydrocarbon bearing zones, the oil shale & shallow ground water.

Fresh water aquifers will be protected when the long string is run and cement is circulated back to the surface. Please see the attached supplemental information:

- 1) Survey Plat
- 2) Cut & Fill
- 3) 13 Point Program

APPROVED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING

DATE: 11-27-82

BY: Hammel

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED H. E. Aab TITLE District Drilling Manager DATE 11/24/82
(This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____


APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

T10S, R22E, S.L.B.&M.

PROJECT

COASTAL OIL & GAS CORP.

Well location, **NBU # 96**, located as shown in the **SW 1/4 NW 1/4 Section II, T10S, R22E, S.L.B. & M. Uintah County, Utah.**



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM
FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY
SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE
BEST OF MY KNOWLEDGE AND BELIEF.

AND BELIEF
Laurence L. Kay
REGISTERED LAND SURVEYOR
REGISTRATION NO 3137
STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING
P. O. BOX Q - 85 SOUTH - 200 EAST
VERNAL, UTAH - 84078

SCALE	1" = 1000'	DATE	11/15/82
PARTY	DK JW RP	REFERENCES	GLO Plat
WEATHER	Fair	FILE	COASTAL

X = Section Corners Located

COASTAL OIL & GAS CORPORATION

13 Point Surface Use Plan

for

Well Location

N.B.U. #96

Located In

Section 11, T10S, R22E, S.L.B. & M.

Uintah County, Utah

1. EXISTING ROADS

See attached Topographic Maps "A" & "B".

To reach COASTAL OIL & GAS CORPORATION, well location site N.B.U. #96 located in the SW 1/4 NW 1/4 Section 11, T10S, R22E, S.L.B. & M., Uintah County, Utah:

Proceed Westerly out of Vernal, Utah along U.S. Highway 40 - 14 miles to the junction of this road and Utah State Highway 209; proceed South along Utah State Highway 209 - 7 miles more or less to the junction of this Highway and the Utah State Highway 88; proceed Southerly on Highway 88 - 10 miles to Ouray, Utah; proceed along South on a county road known as the Seep Ridge Road 11.4 miles to its junction with the Bitter Creek gas field service road to the East; proceed in a Easterly direction along this road 12.4 miles to the junction of this road and an existing road to the East, which proceeds up a canyon 1.4 miles to the top of Archy Bench and the junction of this road and an existing road to the North; proceed North along this road 3.3 miles to its junction with the proposed access road (to be discussed in Item #2).

The highways mentioned above are bituminous surfaced roads to Ouray, Utah and are maintained by State road crews.

The county road known as the Seep Ridge Road is surfaced with native asphalt for \pm 4 miles and is then a gravel surface road. The above described county road is maintained by county road crews and will require no further maintenance. The dirt gas field roads described above are dirt surfaced roads that were built out of the native materials of the area which were accumulated during their construction. These materials consist of light brown sandy clay materials with some poorly graded gravels. These gas field roads will be maintained by COASTAL OIL & GAS CORPORATION or its sub-contractors, this maintenance will consist of some minor grader work to smooth road grades and for snow removal.

The last 0.5 miles of existing road described above will require upgrading. These roads will meet the necessary standards required to facilitate an orderly flow of traffic during the drilling phase, completion phase, and production phase of this well at such time that production is established.

2. PLANNED ACCESS ROAD

See Topographic Map "B".

The proposed access road leaves the existing road described in Item #1 in the SW 1/4 NW 1/4 Section 11, T10S, R22E, S.L.B. & M., and proceeds in a Westerly direction 400+ to the proposed location site.

The grade along this road will be relatively level, the maximum grade along this road will not exceed 8%. The vegetation along this road consists of sagebrush and grasses with large areas devoid of any vegetation.

The proposed access road will be an 18' crown road (9' either side of the centerline) with drain ditches along either side of the proposed road where it is determined necessary in order to handle any run-off from normal meteorological conditions that are prevalent to this area.

Back slopes along the cut areas of the road will be 1 1/2 to 1 slopes and terraced.

The road will be centerline flagged prior to the commencement of construction. This road will be constructed out of the native materials which will be accumulated during its construction.

It is not anticipated at this time that there will be any turnouts required along this road, however, if at the time of the onsite inspection, it is determined that it is necessary, then it will be constructed according to the specifications for turnout installation in the Oil & Gas Surface Operation Manual.

It is not anticipated that there will be any culverts required along this road as it crosses no drainages of any consequence.

There are no fences encountered along this access road, there will be no gates or cattleguards required.

3. EXISTING WELLS

There are approximately 7 existing producing gas wells and one abandoned well within a one mile radius of this location site. See Topographic Map "B" for the location of these wells relative to the proposed location site.

There are no water wells, temporarily abandoned wells, disposal wells, drilling wells, shut-in wells, injection wells, monitoring or observation wells for other resources located within a one-mile radius of this location site.

4. LOCATION OF EXISTING AND PROPOSED FACILITIES

At the present time there are existing facilities belonging to COASTAL OIL & GAS CORPORATION within a one-mile radius of this location site.

In the event that production is established at this location the production will be contained within the location site until a gas line can be run from this location to existing lines in the area. The exact location of this line is not known at this time. Detailed plans for this line will be submitted to the appropriate agencies before construction begins, showing the approximate final location of the facilities.

All areas used to contain these production facilities will be built out of the native materials accumulated during their construction. These facilities will be constructed using graders, bulldozers, and workman crews to construct and place the proposed facilities.

The proposed gas flow line will be an 18' right-of-way.

If there is any deviation from the above, all appropriate agencies will be notified.

5. LOCATION AND TYPE OF WATER SUPPLY

Water to be used for the drilling and production of this well will be hauled by truck from the White River at a point in the SW 1/4 NW 1/4 Section 4, T9S, R20E, S.L.B. & M. 28.5 miles over the roads described in Items #1 and #2.

In the event the above source cannot be improvised other arrangements will be made and all concerned agencies will be notified. All permits and necessary requirements will be strictly adhered to.

There will be no water well drilled at this location site.

6. SOURCE OF CONSTRUCTION MATERIALS

All construction material for this location site and access road shall be borrow material accumulated during construction of the location site and access road. No additional road gravels or pit lining material from other sources are anticipated at this time, but if they are required, the appropriate actions will be taken to acquire them from private sources.

The native materials that will be used in the construction of this location site and access road will consist of a sandy-clay soil and sandstone and shale materials gathered in actual construction of the road and location.

7. METHODS OF HANDLING WASTE DISPOSAL

See Location Layout Sheet.

A reserve pit shall be constructed.

The reserve pit will be 8' deep and at least half of the depth of the reserve pit shall be below the existing ground surface.

One-half of the reserve pit will be used as a fresh water storage area during the drilling of this well and the other one half will be used to store non-flammable material such as cuttings, salts, drilling fluids, chemicals, produced fluids, etc.

If deemed necessary by the agencies concerned, to prevent contamination to surrounding areas, the reserve pit will be lined with a gel.

The pits will have wire and overhead flagging installed at such time as deemed necessary to protect the water fowl, wildlife, and domestic animals.

At the onset of drilling, the reserve pit will be fenced on three sides and at the time the drilling activities are completed, it will be fenced on the fourth side and allowed to dry completely prior to the time that backfilling and reclamation activities are attempted.

When the reserve pit dries and the reclamation activities commence, the pits will be covered with a minimum of four feet of soil and all requirements of Item #10 will be followed.

A portable trash basket will be placed on the location site and all trash will be hauled to the nearest Sanitary Landfill.

A portable chemical toilet will be supplied for human waste.

8. ANCILLARY FACILITIES

There are no ancillary facilities planned for at the present time and none foreseen in the near future.

9. WELL SITE LAYOUT

See attached location layout sheet.

The B.L.M. Representative shall be notified before any construction begins on the proposed location site and road.

As mentioned in Item #7, the pits will be unlined unless it is determined by the representatives of the agencies involved that the materials are too porous and would cause contamination to the surrounding area; then the pits will be lined with a gel and any other type of material necessary to make it safe and tight.

When drilling activities commence, all work shall proceed in a neat and orderly sequence.

10. PLANS FOR RESTORATION OF SURFACE

As there is some topsoil on the location site, all topsoil shall be stripped and stockpiled. (See location layout sheet and Item #9). When all drilling and production activities have been completed, the location site and access road will be reshaped to the original contour and stockpiled topsoil spread over the disturbed area.

Any drainages re-routed during the construction activities shall be restored to their original line of flow as near as possible. Fences around pits are to be removed upon completion of drilling activities and all waste being contained in the trash basket shall be hauled to the nearest sanitary landfill.

Restoration activities shall begin within 90 days after completion of the well. Once Restoration activities have begun, they shall be completed within 30 days.

When restoration activities have been completed, the location site and access ramp shall be reseeded with a seed mixture recommended by the B.L.M. Representative when the moisture content of the soil is adequate for germination. The Lessee further covenants and agrees that all of said clean-up and restoration activities shall be done and performed in a diligent and most workmanlike manner and in strict conformity with the above mentioned Items #7 and #10.

11. OTHER INFORMATION

The Topography of the General Area - (See Topographic Map "A")

The area is a large basin formed by the Uinta Mountains to the North and the Book Cliff Mountains to the South. The White River is located approximately 0.5 miles to the North of the location site.

The majority of the washes and streams in the area are non-perennial in nature with the only ones in the area having a year round flow being the White River and Green River to the North and Willow Creek to the West, of which the numerous washes, draws and non-perennial streams are tributaries to.

The majority of the surrounding drainages are of a non-perennial nature with normal flow limited to the early spring and extremely rare heavy thunderstorms, or rainstorms of high intensity that lasts over an extended period of time and are extremely rare in nature as the normal annual precipitation is only 8".

All drainages in the immediate area are non-perennial streams and flow to the North and are tributaries to the White River.

The soils of this semi-arid area are of the Uinta Formation and Duchesne River Formation (the Fluvial Sandstone and Mudstone) from the Eocene Epoch and Quaternary Epoch (gravels surfaces) and the visible geologic structure consists of light brownish-gray clays (OL) to sandy soils (SM-ML) with poor gravels and shales with outcrops of rock (sandstone, mudstone, conglomerates and shales).

Due to the low precipitation average, climatic conditions and the marginal types of soils, the vegetation that is found in the area are common of the semi-arid region we are located in and in the lower elevations of the Uintah Basin. It consists of, as primary flow areas of sagebrush, rabbitbrush, some grasses, and cacti and large areas of bare soils devoid of any growth in the areas away from and in the vicinity of non-perennial streams and along the areas that are formed along the edges of perennial streams, cottonwood, willows, tamarack sagebrush, rabbitbrush, grasses and cacti can be found.

The fauna of the area is sparse and consists predominantly of the mule deer, coyotes, pronghorn antelope, rabbits, and varieties of small ground squirrels and other types of rodents, and various reptiles common to this area.

The birds of the area are raptors, finches, ground sparrows, magpies, crows, and jays.

The area is used by man for the primary purpose of grazing domestic livestock.

The Topography of the Immediate Area - (See Topographic Map "B").

N.B.U. #96 is located on a steep ledge area approximately 600' East of Bitter Creek and 0.5 miles Southwest of the White River.

COASTAL OIL & GAS CORPORATION
N.B.U. #96
Section 11, T10S, R22E, S.L.B. & M.

The geologic structure of the location is of the Uinta Formation and consists of light brownish-gray clay (SP-PL) with some sandstone outcrops.

The ground slopes through this location site from the East through the site to the West at approximately a 5.3% grade.

The location is covered with some sagebrush and grasses.

The total surface ownership affected by this location is administered by the B.L.M..

There are no occupied dwellings or other facilities of this nature in the general area.

There are no visible archaeological, historical, or cultural sites within any reasonable proximity of the proposed location site. (See Topographic Map "B").

12. LESSEE'S OR OPERATOR'S REPRESENTATIVE

COASTAL OIL & GAS CORPORATION
P.O. Box 749
Denver, CO. 80201


1-303-572-1121

13. CERTIFICATION

I hereby certify that I, or persons under my direct supervision have inspected the proposed drill site and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are to the best of my knowledge true and correct; and that the work associated with the operation proposed herein will be performed by COASTAL OIL & GAS CORPORATION and its contractors and sub-contractors in conformity with this plan and the terms and conditions under which it is approved.





11/24/82

Date




H. E. Aab
District Drilling Manager

COASTAL OIL & GAS CORP.
NBU # 96
PROPOSED LOCATION



APPROXIMATE YARDAGES
 CUBIC YDS. CUT - 7,871
 CUBIC YDS. FILL - 7,220



COASTAL OIL & GAS
CORPORATION

NBU # 96

PROPOSED LOCATION

Topo.

MAP "A"

SCALE - 1" = 4 Mi.

COASTAL OIL & GAS
CORPORATION

N.B.U. # 96


PROPOSED LOCATION

TOPO. MAP "B"

SCALE - 1" = 2000'

ROAD CLASSIFICATION

Light-duty road, all weather, improved surface
Unimproved road, fair or dry weather



PROPOSED LOCATION
N.B.U. # 96


PROPOSED ACCESS
ROAD - 400' ±

0.5 MILES OF
EXISTING ROAD
TO BE UP-GRADED

3.3 MILES

SOURAY, UT. - 23.8 Mi. ±

1.4
Mi.



OPERATOR Constar Oil & Gas DATE 11-30-82

WELL NAME Natural Buttes Unit #96

SEC SWNW 11 T 10S R 22E COUNTY Uintah

43-047-31285
API NUMBER

Full
TYPE OF LEASE

POSTING CHECK OFF:

☐

INDEX

☐

HL

☐☐

NID

☐

PI

☐☐

MAP

☐☐

PROCESSING COMMENTS:

RSP. ✓

APPROVAL LETTER:

SPACING:

☒

A-3

NATURAL BUTTES
UNIT

☐

c-3-a

CAUSE NO. & DATE

☐

c-3-b

☐

c-3-c

SPECIAL LANGUAGE:

☒ RECONCILE WELL NAME AND LOCATION ON APD AGAINST SAME DATA ON PLAT MAP.

☒ AUTHENTICATE LEASE AND OPERATOR INFORMATION

☒ VERIFY ADEQUATE AND PROPER BONDING *FED*

☒ AUTHENTICATE IF SITE IS IN A NAMED FIELD, ETC.

☒ APPLY SPACING CONSIDERATION

☐ ORDER _____

☒ UNIT NATURAL BUTTES

☐ c-3-b

☐ c-3-c

☐ OUTSTANDING OR OVERDUE REPORTS FOR OTHER WELLS OF THE OPERATOR.

*Waiting for NBH 62 second notice completion
report*
[Signature]
11-30

December 7, 1982

Coastal Oil & Gas Corporation
P. O. Box 749
Denver, Colorado 80201

RE: Well No. Natural Buttes Unit #96
SWNW Sec. 11, T.10S, R.22E
Uintah County, Utah

Gentlemen:

Insofar as this office is concerned, approval to drill the above referred to gas well is hereby granted in accordance with Section 40-6-11, Utah Code Annotated 1953; and predicated on Rule A-3, General Rules and Regulations and Rules of Practice and Procedure.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

RONALD J. FIRTH - Engineer
Office: 533-5771
Home: 571-6068

OR

CLEON B. FEIGHT - Director
Office: 533-5771
Home: 466-4455

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-047-31285.

Sincerely,

Norman C. Stout
Administrative Assistant

NCS/as
cc: MMS
Enclosure

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ gas ☒ other

2. NAME OF OPERATOR
Coastal Oil & Gas Corporation

3. ADDRESS OF OPERATOR
P.O. Box 749, Denver, CO 80201

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1988' FNL/431' FWL SW NW
AT TOP PROD. INTERVAL: Same
AT TOTAL DEPTH: Same

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:	SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF <input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE <input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES <input type="checkbox"/>	<input type="checkbox"/>
ABANDON* <input type="checkbox"/>	<input type="checkbox"/>

(other) Proposed Gas Well Production Hookup

5. LEASE
U-01197-A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
N/A

7. UNIT AGREEMENT NAME
Natural Buttes Unit

8. FARM OR LEASE NAME
Natural Buttes Unit

9. WELL NO.
Natural Buttes Unit #96

10. FIELD OR WILDCAT NAME
Natural Buttes Field

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Section 11-T10S-R22E

12. COUNTY OR PARISH
Uintah

13. STATE
Utah

14. API NO.
43-047-31285

15. ELEVATIONS (SHOW DF, KDB, AND WD)
5129' Ground

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Supplement to Application for Permit to Drill

- 1) Proposed Gas Well Production Hookup
 - a) Typical Well Head Installation
 - b) Typical Main Lines and Pipe Anchor Detail
- 2) Proposed Pipeline Map
- 3) Proposed Road and Flow Line and Pipeline right of way

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED H. E. Aab TITLE District Drlg. Mgr. DATE 1/3/83

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL IF ANY:

Statement for permit to lay flow line, to be included with application for Drilling Permit:

Upon approval of all concerned regulatory agencies, CIG proposes to install a surface flow line from NBU 96 in a (or an) easterly direction through the NW/4 of Section 11 connecting to Line F200-10" in the NW/4 of Section 11, all in 10S-22E. The line will be approximately 600' long, as shown on the attached sketches.

Pipe will be 2-3/8" O.D. x .218" W.T., Grade X-B EW. It will be butt-welded in place, using portable electric welding machines, and will be laid aboveground except where burial is necessary for road crossing, ditches, or other obstructions. Magnesium anodes will be installed at the dehydrator, meter setting, road crossings, underground piping at stream crossings, and at producer's separator for corrosion protection.

CIG will connect to producer's separator and install dehydration and metering facilities within 100' of the connection.

Some damage will be incurred by trucks transporting pipe and welding equipment over the pipeline route, but surface disturbance will be held to a minimum.

ESTIMATE SKETCH

DATE: 12-10-82
STARTING DATE: _____
EST. COMP. DATE: _____
☐ COMPANY ☒ CONTRACT


☒ COLORADO INTERSTATE GAS COMPANY
☐ _____

W O NO.: _____
REVISION NO.: _____
BUDGET NO.: _____
RELATED DWG.: 115 FU-1F-1

LOCATION: 431' FWL - 1988' FWL 11-10S-22E COUNTY: UINTAH STATE: UTAH
DESCRIPTION OF WORK: CONNECT NBU 96
COGC
NATURAL BUTTES FIELD



REQUESTED BY: _____ APPROXIMATE MILEAGE: _____ PROJECT ENGINEER: JFK

RANGE: 22E



TOWNSHIP: 10S

PREPARED BY: JCA SCALE (IF ANY): 1" = 1,000'



Colorado Interstate Gas Co.
COLORADO SPRINGS COLORADO

TYPICAL CONNECTION TO MAIN LINES AND PIPE ANCHOR DETAIL - NATURAL BUTTES FIELD

UINTA COUNTY, UTAH


1 23858 REVISE STARTING POINT 8-277 RWP

NO DESCRIPTION DATE 5-1-77 SCALE NONE L.A.M. RWP

REVISIONS

7-7-77 23858

115FP-1 1/2



						Colorado Interstate Gas Co.	
						COLORADO SPRINGS, COLORADO	
						TYPICAL WELL HEAD INSTALLATION	
						NATURAL BUTTES FIELD	
						UINTAH COUNTY, UTAH	
NO.	C.O. NO.	DESCRIPTION	DATE	BY	CHK.	APPR.	SCALE: NONE
							DRAWN: RWP
REVISIONS							DATE: 7-18-77
							CHECK: 100 23859
							115FP-2 1/8



Coastal Oil & Gas Corporation

Cari Furse
Page Two
May 4, 1983

All the locations listed below have been planned to be drilled in 1983.
If they expire, we understand we must submit a new APD to be approved.

NBU #90
NE NW Section 28-T9S-R21E
Uintah County, Utah
Federal Lease

NBU #89
SW NW Section 11-T9S-R21E
Uintah County, Utah
Ute Tribal Surface

NBU #91
NE SW Section 22-T10S-R21E
Uintah County, UT
Federal Lease

NBU #95
NE SW Section 10-T10S-R21E
Uintah County, Utah
Federal Lease

NBU #96
SW NW Section 11-T10S-R22E
Uintah County, Utah
State Lease

NBU #92
NW NW Section 34-T9S-R21E
Uintah County, Utah
State Lease

NBU #93
SW SE Section 33-T9S-R22E
Uintah County, Utah
Federal Lease

NBU #94
NE NW Section 10-T10S-R21E
Uintah County, Utah
Federal Lease



STATE OF UTAH
NATURAL RESOURCES
Oil, Gas & Mining

Scott M. Matheson, Governor
Temple A. Reynolds, Executive Director
Dr. G. A. (Jim) Shirazi, Division Director

4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

September 21, 1983

Coastal Oil & Gas Corporation
P. O. Box 749
Denver, Colorado 80201

RE: Well No. Natural Buttes # 102
1686' FNL, 704' FEL
SE NE, Sec. 27, T. 9S, R. 21E.
Uintah County, Utah

Well No. Natural Buttes Unit # 92
285' FNL, 301' FWL
NW NW, Sec. 34, T. 9S, R. 21E.
Uintah County, Utah

Well No. Natural Buttes Unit # 96
1988' FNL, 431' FWL
SW NW, Sec. 11, T. 10S, R. 22E.
Uintah County, Utah

Gentlemen:

In reference to the above mentioned wells, considerable time has gone by since approval was obtained from this office.

This office has not received any notification of spudding. If you do not intend to drill these wells, please notify this Division. If spudding or any other activity has taken place, please send necessary forms. If you plan to drill these locations at a later date, please notify as such.

We will be happy to acknowledge receipt of your response to this notice if you will include an extra copy of the transmittal letter with a place for our signature, and a self addressed envelope for the return. Such acknowledgement should avoid unnecessary mailing of a second notice from our agency.

Your prompt attention to the above will be greatly appreciated.

Respectfully,

DIVISION OF OIL, GAS AND MINING

Cari Furse
Well Records Specialist

CF/cf



STATE OF UTAH
NATURAL RESOURCES
Oil, Gas & Mining

Scott M. Matheson, Governor
Temple A. Reynolds, Executive Director
Dianne R. Nielson, Ph.D., Division Director

4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

May 30, 1984

Bureau of Land Management
Vernal District Office
170 South 500 East
Vernal, Utah 84078

Attention Ms. Benna Muth

Dear Ms. Muth:

Enclosed is a list of Coastal Oil and Gas Corporation wells in the Natural Buttes Unit that were given State approval to drill over one year ago. We have received copies of federal approval as noted.

Please let me know what action, if any, the Bureau of Land Management is taking on these wells.

Thank you for all your cooperation in our effort to bring our files up to date.

Sincerely,

Claudia Jones
Well Records Specialist

CJ/cj

cc: Dianne R. Nielson, DOGM
John R. Baza, DOGM
file

Well No. Natural Buttes Unit #104
NW/SW Sec. 22, T. 9S., R. 21E.
2041' FSL, 545' FWL
Uintah County, Utah
Lease #U-010950-A
State Approval - April 28, 1983
Federal Approval - No approval received by State

Well No. Natural Buttes Unit #102
SE/NE Sec. 27, T. 9S., R. 21E.
1686' FNL, 704' FEL
Uintah County, Utah
Lease #U-01194-A-ST
State Approval - March 23, 1983
Federal Approval - No approval received by State

Well No. Natural Buttes Unit #92
NW/NW Sec. 34, T. 9S., R. 21E.
285' FNL, 301' FWL
Uintah County, Utah
Lease #U-01194-A-ST
State Approval - April 1, 1983
Federal Approval - No approval received by State

Well No. Natural Buttes Unit #95
NE/SW Sec. 10, T. 10S, R. 21E.
1906' FSL, 1975' FWL
Uintah County, Utah
Lease #U-01416-A
State Approval - December 7, 1982
Federal Approval - May 11, 1983

Well No. Natural Buttes Unit #91
NE/SW Sec. 22, T. 10S., R. 21E.
2091' FSL, 1916' FWL
Uintah County, Utah
Lease #U-02278-A
State Approval - December 7, 1982
Federal Approval - May 11, 1983

Well No. Natural Buttes Unit #96
SW/NW Sec. 11, T. 10S., R. 22E.
1988' FNL, 431' FWL
Uintah County, Utah
Lease #U-01197-A
State Approval - December 7, 1982
Federal Approval - No approval received by State

3100
U-810

June 8, 1984

Coastal Oil and Gas Corporation
P.O. Box 749
Denver, CO 80201


Re: Rescind Application for Permit to Drill
Well No. NBU 96
Section 11, T10S, R22E
Uintah County, Utah
Lease State

Gentlemen:

The Application for Permit to Drill the referenced well was approved on May 23, 1983. Since that date, no known activity has transpired at the approved location. Under current District policy, applications for permit to drill are effective for a period of one year. In view of the foregoing, this office is rescinding the approval of the referenced application without prejudice. If you intend to drill at this location at a future date, a new application for permit to drill must be submitted.

This office requires a letter confirming that no surface disturbance has been made for this drill site. Any surface disturbance associated with the approved location of this well is to be rehabilitated. A schedule for this rehabilitation must be submitted to this office. Your cooperation in this matter is appreciated.

Sincerely,



Donald C. Alvord
Associate District Manager

cc: Well File
State O & G
SMA

BMH:ma

